

DATA
SHEET



SYSTEMS

GTL



greentechno

ULTRASONIC
CLEANING SYSTEMS



MODEL	
GTL-05	
CUBIC CAPACITY	ULTRASONIC FREQUENCY
5 litres	40Khz
RECOMMENDED DETERGENT	SWEEP SYSTEM
ecoclean	SSX3
EXTERNAL DIMENSIONS	WORKING DIMENSIONS
 L: 320 mm W: 270 mm H: 360 mm	 L: 200 mm W: 160 mm H: 130 mm

DESCRIPTION

- Benchtop cleaner
- Weight: 6 kg
- 200 W of ultrasonic power
- 190 W of heating power
- 220 Vac

TECHNICAL FEATURES


- 3.2" tactile and intuitive control screen.
- Temperature configuration.
- Digital temperature sensor.
- Independent config. for each function.
- Drip tray.
- Overheating control system.
- Made from 304 and 316L stainless steel.
- Thermal insulation.
- Anti-vibration and adjustable feet.

Políg. Industrial de Heras.
P-203. 39792 Heras.
Cantabria. Spain.

T. (+34) 942 544 604

info@greentechnosl.com
www.greentechnosl.com





MODEL	
GTL-15	
CUBIC CAPACITY	ULTRASONIC FREQUENCY
15 litres	40Khz
RECOMMENDED DETERGENT	SWEEP SYSTEM
ecoclean	SSX3
EXTERNAL DIMENSIONS	WORKING DIMENSIONS
 L: 500 mm W: 315 mm H: 500 mm	 L: 330 mm W: 180 mm H: 260 mm

DESCRIPTION

- Benchtop cleaner
- Weight: 12 kg
- 400 W of ultrasonic power
- 380 W of heating power
- 220 Vac

TECHNICAL FEATURES


- 3.2" tactile and intuitive control screen.
- Temperature configuration.
- Digital temperature sensor.
- Independent config. for each function.
- Drip tray.
- Overheating control system.
- Made from 304 and 316L stainless steel.
- Thermal insulation.
- Anti-vibration and adjustable feet.

Políg. Industrial de Heras.
P-203. 39792 Heras.
Cantabria. Spain.

T. (+34) 942 544 604

info@greentechnosl.com
www.greentechnosl.com





MODEL	
GTL-35	
CUBIC CAPACITY	ULTRASONIC FREQUENCY
35 litres	40Khz
RECOMMENDED DETERGENT	SWEEP SYSTEM
ecoclean	SSX3
EXTERNAL DIMENSIONS	WORKING DIMENSIONS
<p>L: 580 mm W: 355 mm H: 550 mm</p>	<p>L: 430 mm W: 240 mm H: 310 mm</p>

DESCRIPTION

- Benchtop cleaner
- Weight: 20 kg
- 800 W of ultrasonic power
- 1000 W of heating power
- 220 Vac

TECHNICAL FEATURES


- 3.2" tactile and intuitive control screen.
- Temperature configuration.
- Digital temperature sensor.
- Independent config. for each function.
- Drip tray.
- Overheating control system.
- Made from 304 and 316L stainless steel.
- Thermal insulation.
- Anti-vibration and adjustable feet.

Políg. Industrial de Heras.
P-203. 39792 Heras.
Cantabria. Spain.

T. (+34) 942 544 604

info@greentechnosl.com
www.greentechnosl.com





MODEL	
GTL-60	
CUBIC CAPACITY	ULTRASONIC FREQUENCY
60 litres	40Khz
RECOMMENDED DETERGENT	SWEEP SYSTEM
ecoclean	SSX3
EXTERNAL DIMENSIONS	WORKING DIMENSIONS
<p>L: 800 mm W: 480 mm H: 600 mm</p>	<p>L: 580 mm W: 330 mm H: 310 mm</p>

DESCRIPTION

- Benchtop cleaner
- Weight: 42 kg
- 1200 W of ultrasonic power
- 2000 W of heating power
- 220 Vac

TECHNICAL FEATURES

- 3.2" tactile and intuitive control screen.
- Temperature configuration.
- Digital temperature sensor.
- Independent config. for each function.
- Drip tray.
- Overheating control system.
- Made from 304 and 316L stainless steel.
- Thermal insulation.
- Anti-vibration and adjustable feet.

Políg. Industrial de Heras.
P-203. 39792 Heras.
Cantabria. Spain.

T. (+34) 942 544 604

info@greentechnosl.com
www.greentechnosl.com

